



HEALTH PLANS®



2018
Prior Authorization

Prior Authorization Criteria

ACTEMRA

Products Affected

- Actemra INJ 162MG/0.9ML

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

ACTIMMUNE

Products Affected

- Actimmune

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

ADEMPAS

Products Affected

- Adempas

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

AFINITOR

Products Affected

- Afinitor

- Afinitor Disperz

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis and past medication history
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Afinitor is considered medically necessary for the treatment of patients with advanced renal cell carcinoma after failure of treatment with Sutent (sunitinib) OR Nexavar (sorafenib).

ALDARA

Products Affected

- Imiquimod Pump
- Zyclara
- Zyclara Pump

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

ANTIANGIOGENIC AGENTS

Products Affected

- Votrient

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Votrient is considered medically necessary for the treatment of patients with a diagnosis of 1.) advanced renal cell carcinoma or 2.) advanced soft tissue sarcoma who have received prior chemotherapy

ANTIEMETICS

Products Affected

- Akynzeo CAPS
- Anzemet
- Granisetron Hcl TABS
- Sancuso

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

ANTIFUNGALS, AZOLE

Products Affected

- Voriconazole INJ
- Voriconazole SUSR
- Voriconazole TABS

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documented fungal culture and or notes from medical record suggestive of a serious fungal infection. For prophylactic use, fungal culture and medical records are not required.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	3 to 6 months, depending on indication
Other Criteria	N/A

ARCALYST

Products Affected

- Arcalyst

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis of Cryopyrin-Associated Periodic Syndromes (CAPS), including Familial Cold Auto-inflammatory Syndrome (FCAS) and Muckle-Wells Syndrome (MWS)
Age Restrictions	12 years of age and older
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	B vs D coverage determination

BENLYSTA

Products Affected

- Benlysta

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	The patient must have a positive autoantibody test (i.e., anti-nuclear antibody [ANA] greater than or equal to 1:80 and/or anti-double-stranded DNA [anti-dsDNA] greater than or equal to 30 IU/ml).
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	The patient must be receiving one standard therapy for SLE with any of the following: corticosteroids, hydroxychloroquine, immunosuppressives (cyclophosphamide, azathioprine, mycophenolate, methotrexate, cyclosporine) or nonsteroidal anti-inflammatory drugs AND there must be an absence of severe active lupus nephritis or severe active central nervous system lupus before Benlysta is authorized. B vs D coverage determination for IV Benlysta.

BOTULINUM TOXIN

Products Affected

- Botox
- Dysport
- Xeomin

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	Exclude when used for cosmetic purposes.
Required Medical Information	Documentation of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	3 months
Other Criteria	N/A

BUPHENYL

Products Affected

- Buphenyl TABS

- Sodium Phenylbutyrate TABS

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

CARBAGLU

Products Affected

- Carbaglu

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

CESAMET

Products Affected

- Cesamet

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

COLONY STIMULATING FACTORS

Products Affected

- Granix
- Leukine INJ 250MCG
- Neupogen

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	6 months
Other Criteria	N/A

CRINONE

Products Affected

- Crinone

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

EMPLICITI

Products Affected

- Empliciti

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis and current medication regimen
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Empliciti is approved with concurrent use of dexamethasone and lenalidomide. B vs D coverage determination.

EPCLUSA

Products Affected

- Epclusa

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation from the medical record of diagnosis including genotype, current medication regimen, HCV-RNA levels, history of previous HCV therapies and presence/absence of cirrhosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 weeks, based on indication and established treatment guidelines
Other Criteria	For genotype 1, 4, 5 and 6, clinical information must be provided confirming the patient is not a candidate for Harvoni before Epclusa will be authorized.

ERIVEDGE

Products Affected

- Erivedge

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

ERLEADA

Products Affected

- Erleada

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Erleada is approved for use in combination with a gonadotropin-releasing hormone (GnRH) analog or in patients who have had a bilateral orchiectomy.

FORTEO

Products Affected

- Forteo INJ 600MCG/2.4ML

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	1.) Pediatric patients or young adults with open epiphyses. 2.) History of prior external beam or implant radiation involving the skeleton
Required Medical Information	1.) Bone mineral density (BMD) by DEXA at hip and spine. 2.) Confirmation of normal serum alkaline phosphatase or provider statement that Paget's disease has been excluded. 3.) Treatment history related to bisphosphonates and Prolia.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	2 years from initiation of therapy
Other Criteria	Member has a history of at least one osteoporotic fracture while on Bisphosphonate Therapy OR Member has tried and or failed an oral bisphosphonate or SERM OR Member has documented intolerance, contraindication, or hypersensitivity to other osteoporosis therapies. For patients with a T-score less than or equal to -3.5, failure of oral bisphosphonates or SERMs are not required.

GILENYA

Products Affected

- Gilenya

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

GROWTH HORMONE

Products Affected

- Genotropin
- Genotropin Miniquick
- Humatrope
- Humatrope Combo Pack
- Norditropin Flexpro
- Nutropin Aq Nuspin 10
- Nutropin Aq Nuspin 20
- Nutropin Aq Nuspin 5
- Nutropin Aq Pen
- Omnitrope
- Saizen
- Saizen Click.easy
- Saizenprep Reconstitutionkit
- Serostim INJ 4MG, 5MG, 6MG
- Tev-tropin
- Zomacton
- Zorbtive

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Growth hormone stimulation test required for adult-onset pituitary disease, hypothalamic disease, surgery, radiation therapy, trauma, childhood-onset GH deficiency
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

HARVONI

Products Affected

- Harvoni

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation from the medical record of diagnosis including genotype, HCV RNA viral levels prior to treatment, history of previous HCV therapies, and presence/absence of cirrhosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 to 24 weeks based on indication and established treatment guidelines
Other Criteria	N/A

HEMATOPOIETICS

Products Affected

- Aranesp Albumin Free INJ
100MCG/0.5ML, 100MCG/ML,
10MCG/0.4ML, 150MCG/0.3ML,
200MCG/0.4ML, 200MCG/ML,
25MCG/0.42ML, 25MCG/ML,
300MCG/0.6ML, 300MCG/ML,
40MCG/0.4ML, 40MCG/ML,
500MCG/ML, 60MCG/0.3ML,
60MCG/ML
- Epogen INJ 10000UNIT/ML,
20000UNIT/ML, 2000UNIT/ML,
3000UNIT/ML, 4000UNIT/ML
- Mircera INJ 100MCG/0.3ML,
200MCG/0.3ML, 50MCG/0.3ML,
75MCG/0.3ML
- Procrit

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	For initial treatment of anemia, documentation of Hemoglobin less than 10, transferrin saturation greater than 20%, and ferritin levels greater than 100 obtained over the last 3 months. For reauthorizations, approvals granted if Hemoglobin does not exceed 10-12g/dL or approvals granted if Hemoglobin does not exceed 10-13g/dL for the indication of reduction of allogeneic red cell transfusions in patients undergoing elective, noncardiac, nonvascular surgery.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	6 months
Other Criteria	B vs D coverage determination

HEPATITIS B AGENTS

Products Affected

- Adefovir Dipivoxil

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

HETLIOZ

Products Affected

- HetlioZ

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation that patient is totally blind and lacks light perception
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

HORMONAL AGENTS, GONADOTROPINS

Products Affected

- Chorionic Gonadotropin INJ
- Novarel
- Pregnyl W/diluent Benzyl Alcohol/nacl

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

HORMONAL AGENTS, SOMATOSTATIN ANALOGS

Products Affected

- Octreotide Acetate
- Sandostatin Lar Depot
- Signifor Lar
- Somatuline Depot

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	6 months
Other Criteria	N/A

HRM - SKELETAL MUSCLE RELAXANTS

Products Affected

- Carisoprodol TABS
- Carisoprodol/aspirin
- Carisoprodol/aspirin/codeine
- Cyclobenzaprine Hcl TABS

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	The physician has documented the indication for the continued use of the HRM (high risk med) with an explanation of the specific benefit established with the medication and how that benefit outweighs the potential risk, AND the physician will continue to monitor for side effects.
Age Restrictions	Automatic approval if member is less than 65 years of age. Prior authorization required for age 65 or older.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

IDIOPATHIC PULMONARY FIBROSIS

Products Affected

- Esbriet
- Ofev

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	Other known causes of interstitial lung disease e.g., domestic and occupational environmental exposures, connective tissue disease, and drug toxicity.
Required Medical Information	Diagnosis confirmed by 1.) in patients without surgical lung biopsy: Usual interstitial pneumonia (UIP) pattern on high resolution computed tomography (HRCT) is indicative of IPF or 2.) in patients with surgical lung biopsy: The biopsy pattern is diagnostic of IPF or the combination of HRCT and biopsy pattern is indicative of IPF. Documented forced vital capacity (% FVC) greater than or equal to 50% performed within the last 6 months.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Esbriet and Ofev will each be used as monotherapy.

IMMUNE STIMULANTS, NON-VACCINE

Products Affected

- Pegasys

- Pegasys Proclick

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of genotype to determine length of therapy
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 to 48 weeks based on indication and established treatment guidelines.
Other Criteria	N/A

IMMUNE SUPPRESSANTS

Products Affected

- Cimzia
- Cosentyx
- Cosentyx Sensoready Pen
- Enbrel
- Enbrel Mini
- Enbrel Sureclick
- Humira
- Humira Pediatric Crohns Disease Starter Pack
- Humira Pen
- Humira Pen-cd/uc/hs Starter
- Humira Pen-ps/uv Starter
- Orencia
- Orencia Clickject
- Remicade
- Renflexis
- Simponi

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis and past medication history
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months

Other Criteria

1.)Use of Humira, Enbrel, Cimzia, Orencia, Simponi and Remicade (including formulary biosimilars) is considered medically necessary for the treatment of Rheumatoid Arthritis in patients that have tried and failed methotrexate OR at least 2 alternative disease modifying antirheumatic drugs (DMARDs). 2.)Use of Humira, Enbrel, and Remicade (including formulary biosimilars) is considered medically necessary for the treatment of Juvenile Rheumatoid Arthritis in patients that have tried and failed at least 2 DMARDs. 3.)Use of Humira, Enbrel, Cimzia, Simponi and Remicade (including formulary biosimilars) is considered medically necessary for the treatment Ankylosing Spondylitis in patients that have tried and failed at least 1 non-steroidal anti-inflammatory drug (NSAID), corticosteroid, OR sulfasalazine. 4.)Use of Humira, Enbrel, Cimzia, Simponi and Remicade (including formulary biosimilars) is considered medically necessary for the treatment of Psoriatic Arthritis in patients with active disease. 5.)Use of Humira, Remicade (including formulary biosimilars) and Cimzia is considered medically necessary for the treatment of Moderate to severe Crohn’s Disease in patients that have tried and failed at least 2 of the following: immunomodulators, corticosteroids, or aminosalicylates. 6.)Use of Humira, Simponi and Remicade (including formulary biosimilars) is considered medically necessary for treatment of moderately to severely active ulcerative colitis in patients who have had inadequate response to at least 2 of the following: corticosteroids, sulfasalazine, mesalamine, azathioprine, 6-mercaptopurine. 7.)Use of Cimzia, Humira, Enbrel, and Remicade (including formulary biosimilars) is considered medically necessary for the treatment of Plaque Psoriasis in patients that have: a) moderate to severe chronic disease, b) minimum body surface area (BSA) involvement of greater than or equal to 5% OR involvement of the palms, soles, head, neck or genitalia, AND c) tried and failed at least 1 topical agent (topical steroid, calcipotriene, or tazarotene). 8.) Use of Humira will also be considered medically necessary for the treatment of hidradenitis suppurativa and uveitis. 9.)Use of Remicade (including formulary biosimilars) will be considered medically necessary for the treatment of fistulizing Crohn's disease. B vs D coverage determination required for Remicade (including formulary biosimilars).

IMMUNE SUPPRESSANTS - TRANSPLANT RELATED

Products Affected

- Astagraf XL
- Atgam
- Azasan
- Azathioprine INJ
- Azathioprine TABS
- Cyclosporine CAPS
- Cyclosporine INJ
- Cyclosporine Modified
- Envarsus Xr
- Gengraf
- Hecoria
- Mycophenolate Mofetil
- Mycophenolic Acid Dr
- Nulojix
- Prograf INJ
- Rapamune SOLN
- Sandimmune SOLN
- Sirolimus TABS
- Tacrolimus CAPS
- Zortress

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	B vs D coverage determination

IMMUNOMODULATORS

Products Affected

- Avonex
- Avonex Pen
- Betaseron
- Copaxone INJ 20MG/ML, 40MG/ML
- Glatiramer Acetate
- Glatopa
- Tecfidera
- Tecfidera Starter Pack

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

INTRON-A

Products Affected

- Intron A
- Intron A W/diluent

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	6 months
Other Criteria	Hepatitis C: Patient has no documented failure or intolerance to pegylated interferons

KALYDECO

Products Affected

- Kalydeco

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	Patients with cystic fibrosis (CF) who are homozygous for the F508del mutation in the CFTR gene.
Required Medical Information	CF mutation test documenting patient has one mutation in the CFTR gene that is responsive to ivacaftor based on clinical and/or in vitro assay data.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

KINERET

Products Affected

- Kineret

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	For RA: 18 years and older
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Treatment of rheumatoid arthritis (RA) in adults and when the following criteria are met: inadequate response, intolerance, or contraindication to at least one disease-modifying anti-rheumatic drug (DMARD) (i.e., methotrexate (MTX), azathioprine, gold, hydroxychloroquine, penicillamine, sulfasalazine) AND the patient has had failure, contraindication, or intolerance to Enbrel or Humira.

KORLYM

Products Affected

- Korlym

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

KYNAMRO

Products Affected

- Kynamro

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	1.) Patient receiving LDL apheresis. 2.) Patient treated with an MTP inhibitor (e.g. Juxtapid). 3.) Patient with moderate or severe hepatic impairment (based on Child-Pugh category B or C), active liver disease or unexplained persistent abnormal liver function tests.
Required Medical Information	Diagnosis of homozygous familial hypercholesterolemia (HoFH) as demonstrated by 1.) genetic confirmation of 2 mutant alleles at the LDL receptor, ApoB, PCSK9 or ARH adaptor protein gene locus OR 2.) an untreated LDL-cholesterol concentration greater than 500 mg/dL OR 3.) total LDL greater than or equal to 300mg/dl while on a maximum tolerated dose of a high-intensity statin (high-intensity statins include atorvastatin 40 to 80mg and rosuvastatin 20 to 40mg) taken in combination with any of the following: ezetimibe, a bile acid sequestrant, or niacin AND one of the following: a.) cutaneous or tendinous xanthoma before the age of 10 years OR b.) untreated LDL cholesterol levels consistent with heterozygous familial hypercholesterolemia in both parents (greater than 190mg/dl).
Age Restrictions	18 years and older.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	For approval, patient must meet all of the following criteria: 1.) Failure, contraindication, or intolerance to Repatha (requires prior authorization), 2.) Kynamro will be taken in combination with a maximum tolerated dose of atorvastatin OR rosuvastatin and with any one of the following: ezetimibe, a bile acid sequestrant, or niacin.

LETAIRIS

Products Affected

- Letairis

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

LIDOCAINE PATCH

Products Affected

- Lidocaine PTCH

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	For the FDA-labeled indication of post-herpetic neuralgia, no additional criteria are required to be met. For diabetic neuropathic pain: the patient must have previous use and inadequate response or intolerance to any ONE medication that is FDA-labeled for diabetic peripheral neuropathy, including (but not limited to) duloxetine and Lyrica. For cancer related neuropathic pain (including treatment-related neuropathy), no additional criteria are required to be met.

LIPASE INHIBITORS

Products Affected

- Xenical

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	Coverage for weight loss is excluded under Part D.
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	3 months
Other Criteria	N/A

LONG-ACTING OPIOID ANALGESICS

Products Affected

- Zohydro Er C12A

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

LONSURF

Products Affected

- Lonsurf

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

MEMANTINE ER

Products Affected

- Memantine Hydrochloride Er

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	Automatic approval if member is greater than 26 years of age. Prior Authorization is required for age 26 or younger.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

MEMANTINE IR

Products Affected

- Memantine Hcl
- Memantine Hcl Titration Pak
- Memantine Hydrochloride SOLN

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	Automatic approval if member is greater than 26 years of age. Prior Authorization is required for age 26 or younger.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

METABOLIC BONE DISEASE AGENTS

Products Affected

- Ibandronate Sodium INJ

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Intolerance to oral bisphosphonates or is unable to tolerate oral bisphosphonates due to gastrointestinal comorbidities

METHAMPHETAMINE HCL

Products Affected

- Methamphetamine Hcl

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Patient must have failure, contraindication or intolerance to one formulary alternative such as dextroamphetamine, amphetamine/dextroamphetamine, methylphenidate or dexmethylphenidate before methamphetamine hcl is authorized.

MOLECULAR TARGET INHIBITORS

Products Affected

- Alecensa
- Alunbrig
- Bosulif
- Braftovi
- Cabometyx
- Calquence
- Caprelsa
- Cometriq
- Cotellic
- Farydak
- Gilotrif
- Ibrance
- Iclusig
- Idhifa
- Imatinib Mesylate
- Imbruvica
- Inlyta
- Iressa
- Jakafi
- Kisqali
- Kisqali Femara 200 Dose
- Kisqali Femara 400 Dose
- Kisqali Femara 600 Dose
- Lenvima 10 Mg Daily Dose
- Lenvima 12mg Daily Dose
- Lenvima 14 Mg Daily Dose
- Lenvima 18 Mg Daily Dose
- Lenvima 20 Mg Daily Dose
- Lenvima 24 Mg Daily Dose
- Lenvima 4 Mg Daily Dose
- Lenvima 8 Mg Daily Dose
- Lynparza
- Mekinist
- Mektovi
- Nerlynx
- Nexavar
- Pomalyst
- Rubraca
- Rydapt
- Sprycel
- Stivarga
- Sutent
- Synribo
- Tafinlar
- Tarceva
- Tassigna
- Tibsovo
- Tykerb
- Verzenio
- Xalkori
- Zejula
- Zydelig
- Zykadia

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A

Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

MONOCLONAL ANTIBODIES

Products Affected

- Xolair

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	For the diagnosis of asthma: Laboratory data reflecting IgE levels greater than 30 but less than 1500 IU/mL , medical history documenting previous trial and response to inhaled corticosteroids and a leukotriene receptor antagonist. For the diagnosis of chronic idiopathic urticaria (CIU): Documentation that the patient has remained symptomatic despite at least 2 weeks of one H1 antihistamine therapy.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

MUCOLYTICS

Products Affected

- Pulmozyme

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	Patient has a known hypersensitivity to dornase-alfa or to chinese Hamster ovary cell products.
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

MYALEPT

Products Affected

- Myalept

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

NATPARA

Products Affected

- Natpara

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

NINLARO

Products Affected

- Ninlaro

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis and current medication regimen
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Ninlaro is approved with concurrent use of dexamethasone and lenalidomide.

NON AMPHETAMINE CENTRAL NERVOUS SYSTEM AGENTS

Products Affected

- Armodafinil
- Modafinil

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis and sleep study for the diagnosis of sleep apnea or narcolepsy
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

NORTHERA

Products Affected

- Northera

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation from the medical record of diagnosis and prior medication history
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	The patient must have failure, contraindication or intolerance to fludrocortisone acetate or midodrine.

NUPLAZID

Products Affected

- Nuplazid

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

ODOMZO

Products Affected

- Odomzo

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

OLYSIO

Products Affected

- Olysio

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	Previous failure of Olysio, Incivek or Victrelis.
Required Medical Information	Documentation from the medical record of diagnosis including genotype, current medication regimen, HCV-RNA levels, history of previous HCV therapies and presence/absence of cirrhosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 to 24 weeks based on indication and treatment guidelines.
Other Criteria	Olysio must be used with other concurrent therapy based on indication and established treatment guidelines. For genotype 1, clinical information must be provided confirming the patient is not a candidate for Harvoni before combination therapy with Olysio and Sovaldi will be authorized.

ONIVYDE

Products Affected

- Onivyde

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	B vs D coverage determination

ORAL TRETINOINS

Products Affected

- Absorica
- Amnesteem
- Claravis
- Isotretinoin CAPS
- Myorisan
- Zenatane

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	6 months
Other Criteria	N/A

OTEZLA

Products Affected

- Otezla

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

OTREXUP

Products Affected

- Otrexup

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

PROCYSBI

Products Affected

- Procysbi

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	The patient must have failure, contraindication or intolerance to Cystagon before Procysbi will be authorized.

RASUVO

Products Affected

- Rasuvo

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

RAVICTI

Products Affected

- Ravicti

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

REGRANEX

Products Affected

- Regranex

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of wound type and wound care therapy provided.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Regranex must be used as adjunctive therapy to clinically appropriate ulcer wound care including debridement, infection control, and/or pressure relief.

REPATHA

Products Affected

- Repatha
- Repatha Pushtronex System
- Repatha Sureclick

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Diagnosis of one of the following: Clinical atherosclerotic cardiovascular disease (ASCVD) OR Primary Hyperlipidemia (including Heterozygous familial hypercholesterolemia (HeFH)) (confirmed by genetic testing or WHO/Dutch Lipid Group criteria or Simon-Broome criteria) OR Homozygous Familial Hypercholesterolemia (HoFH) (confirmed by either: Genetic testing or History of untreated low-density lipoprotein cholesterol (LDL-C) greater than 500mg/dl or treated LDL greater than 300mg/dl with either: presence of xanthomas before the age of 10 years or evidence of heterozygous familial hypercholesterolemia in both parents.)
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	Initial:6 mo. Reauthorization for 12 mo requires documented evidence of clinical beneficial response
Other Criteria	For ASCVD or Primary Hyperlipidemia (including HeFH): Patient is on high-intensity statin therapy or maximally tolerated statin therapy, is not at LDL-C level goal (LDL-C greater than 70 mg/dL) and will be continued on high intensity or maximally tolerated statin therapy while on the PCSK9-inhibitor. Patients intolerant to statins as demonstrated by experiencing statin-associated rhabdomyolysis to one statin OR has tried 2 statins (any combination of high or moderate intensity statins) and has experienced skeletal –muscle related symptoms on both agents, no concurrent statin use required. For HoFH: Patient is on high-intensity or maximally tolerated lipid lowering therapy (such as statins and/or ezetimibe), is not at LDL-C level goal (LDL-C greater than 70 mg/dL), and will be continued on high intensity or maximally tolerated lipid lowering therapy while on Repatha. For patients with HoFH who are intolerant to statins, no concurrent statin use required.

RETINOIDS TOPICAL

Products Affected

- Adapalene CREA
- Adapalene GEL
- Adapalene LOTN
- Avita
- Clindamycin Phosphate/tretinoin
- Differin LOTN
- Retin-a Micro GEL 0.06%
- Retin-a Micro Pump GEL 0.08%
- Tretinoin CREA
- Tretinoin GEL
- Tretinoin Microsphere
- Tretinoin Microsphere Pump
- Veltin

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	6 months
Other Criteria	N/A

REVLIMID

Products Affected

- Revlimid

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

RUCONEST

Products Affected

- Ruconest

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

SIVEXTRO

Products Affected

- Sivextro TABS

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation from the medical record of diagnosis, site of infection, recent culture and sensitivity data, current or previous treatment for infection.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	30 days
Other Criteria	Use of Sivextro is considered medically necessary for use in infections resulting from MRSA. Sivextro is also considered medically accepted for other clinically appropriate infections when drug allergies prevent the use of clinically appropriate 1st-line agents in other infections.

SODIUM PHENYL BUTYRATE

Products Affected

- Sodium Phenylbutyrate POWD
3GM/TSP

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

SYLATRON

Products Affected

- Sylatron

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

TAGRISSEO

Products Affected

- Tagrisso

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of metastatic epidermal growth factor receptor (EGFR) T790M mutation-positive non-small cell lung cancer (NSCLC)
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

TETRABENAZINE

Products Affected

- Tetrabenazine

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis of chorea associated with Huntington's Disease. CYP 2D6 genotype must be provided for doses greater than 50mg/day.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

THALIDOMIDE (THALOMID)

Products Affected

- Thalomid

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

THROMBOPOIETIN RECEPTOR AGONIST

Products Affected

- Promacta

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis of: a.) thrombocytopenia in patients with chronic hepatitis C b.) chronic immune (idiopathic) thrombocytopenic purpura (ITP) with documentation of previous therapy with corticosteroids OR intravenous immune globulin (IVIG) therapy over a period of at least 30 days OR insufficient response to a splenectomy, or c.) severe aplastic anemia with documentation of inadequate response to previous immunosuppressive therapy (e.g. Atgam, Thymoglobulin, cyclosporine).
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Use of Promacta for the treatment of thrombocytopenia is considered medically necessary in: a) patients with chronic hepatitis C, or b) patients with chronic immune (idiopathic) thrombocytopenic purpura (ITP) that have failed corticosteroid OR intravenous immune globulin (IVIG) therapy OR have had an insufficient response to a splenectomy.

TOPICAL ANTI-INFLAMMATORIES

Products Affected

- Diclofenac Sodium GEL 3%
- Flector

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	Diclofenac Gel: 3 months. Flector Patch: 6 months.
Other Criteria	N/A

TOPICAL IMMUNOMODULATORS

Products Affected

- Elidel

- Tacrolimus OINT

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	2 months for tacrolimus ointment and 6 months for Elidel
Other Criteria	N/A

TRANSMUCOSAL FENTANYL CITRATE

Products Affected

- Abstral
- Fentanyl Citrate Oral Transmucosal
- Fentora TABS 100MCG, 200MCG, 400MCG, 600MCG, 800MCG
- Lazanda
- Subsys

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation from the medical record of diagnosis.
Age Restrictions	16 years of age and older for fentanyl citrate (lozenge/troche). 18 years of age and older for Lazanda, Abstral and Fentora
Prescriber Restrictions	Enrollment in the Transmucosal Immediate-Release Fentanyl (TIRF) REMS Access program
Coverage Duration	12 months
Other Criteria	Transmucosal fentanyl products will only be covered with documentation of breakthrough cancer pain. The patient must be currently receiving and be tolerant to opioid therapy for persistent cancer pain. The patient must be enrolled in the TIRF REMS Access program.

TRIMETHOBENZAMIDE

Products Affected

- Trimethobenzamide Hcl CAPS 300MG

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

VALCHLOR GEL

Products Affected

- Valchlor

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis and past medical history.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Valchlor Topical Gel is considered medically necessary for the treatment of patients with Stage 1A and 1B mycosis fungoides-type cutaneous T-cell lymphoma who have received prior skin-directed therapy.

VASODILATORS

Products Affected

- Adcirca
- Opsumit
- Orenitram
- Sildenafil INJ
- Sildenafil TABS 20MG
- Tadalafil TABS 20MG
- Tracleer

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of pulmonary arterial hypertension
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

VENCLEXTA

Products Affected

- Venclexta
- Venclexta Starting Pack

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

VOSEVI

Products Affected

- Vosevi

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	Treatment naive patients
Required Medical Information	Documentation from the medical record of diagnosis including genotype, current medication regimen, HCV-RNA levels, history of previous HCV therapies and presence/absence of cirrhosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 weeks, based on indication and established treatment guidelines
Other Criteria	N/A

XATMEP

Products Affected

- Xatmep

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

XELJANZ

Products Affected

- Xeljanz
- Xeljanz Xr

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

XTANDI

Products Affected

- Xtandi

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation from medical record of diagnosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Xtandi is considered medically necessary in patients who have a diagnosis of castration-resistant prostate cancer.

YONDELIS

Products Affected

- Yondelis

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	B vs D coverage determination

YONSA

Products Affected

- Yonsa

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation from medical records of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Yonsa is approved for use in combination with methylprednisolone for treatment of metastatic castration-resistant prostate cancer. The patient must have a history of failure, intolerance, or contraindication to Zytiga and Xtandi before Yonsa will be authorized.

ZELBORAF

Products Affected

- Zelboraf

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of BRAF V600E mutation.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

ZYTIGA

Products Affected

- Zytiga

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation from medical record of diagnosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Zytiga is approved for use in combination with prednisone.

PART B VERSUS PART D

Products Affected

- Acetylcysteine SOLN
- Actemra INJ 200MG/10ML, 400MG/20ML, 80MG/4ML
- Acyclovir Sodium INJ 50MG/ML
- Adagen
- Albuterol Sulfate NEBU
- Aldurazyme
- Aliqopa
- Amiodarone Hcl INJ 50MG/ML, 900MG/18ML
- Apokyn INJ 30MG/3ML
- Aprepitant
- Aralast Np INJ 1000MG, 500MG, 800MG
- Argatroban INJ 125MG/125ML; 0.9%, 250MG/2.5ML, 250MG/250ML; 0.9%
- Arzerra
- Atropine Sulfate INJ 0.4MG/0.5ML, 1MG/ML, 8MG/20ML
- Bcg Vaccine
- Berinert
- Besponsa
- Bethkis
- Bivigam
- Brovana
- Budesonide SUSP
- Buprenorphine Hcl INJ
- Capastat Sulfate
- Cardene IV INJ 5%; 40MG/200ML
- Carimune Nanofiltered INJ 6GM
- Cerezyme
- Cidofovir
- Cinryze
- Clinimix N14g30e
- Clinimix N9g15e
- Cosmegen
- Cromolyn Sodium NEBU
- Cuvitru INJ 1GM/5ML, 2GM/10ML, 4GM/20ML
- Cyclophosphamide CAPS
- Cyramza
- Dactinomycin
- Depo-provera INJ 400MG/ML
- Diltiazem Hcl INJ 100MG, 125MG/25ML, 25MG/5ML, 50MG/10ML
- Docefrez INJ 20MG
- Docetaxel
- Doxercalciferol INJ
- Doxorubicin Hcl Liposome
- Dronabinol
- Elelyso
- Eligard
- Emend SUSR
- Engerix-b
- Erwinaze
- Esomeprazole Sodium
- Fabrazyme
- Faslodex INJ 250MG/5ML
- Fentanyl Citrate INJ 1000MCG/20ML, 100MCG/2ML, 2500MCG/50ML, 250MCG/5ML, 500MCG/10ML
- Firmagon
- Flebogamma Dif
- Folutyn
- Fomepizole INJ 1.5GM/1.5ML
- Fusilev
- Gablofen
- Gamastan S/d
- Gammagard Liquid INJ 2.5GM/25ML, 30GM/300ML
- Gammaked
- Gammaplex INJ 10GM/100ML; 0, 10GM/200ML, 20GM/200ML, 20GM/400ML, 5GM/100ML, 5GM/50ML
- Gamunex-c
- Ganciclovir INJ 500MG, 500MG/10ML
- Gazyva
- Glassia
- H.p. Acthar
- Halaven

- Heplisav-b
- Hizentra
- Hydralazine Hcl INJ
- Hydromorphone Hcl INJ 10MG/ML, 1MG/ML, 2MG/ML, 4MG/ML, 50MG/5ML
- Hydromorphone Hcl Dosette
- Imfinzi
- Imovax Rabies (h.d.c.v.)
- Infumorph 200
- Infumorph 500
- Ipratropium Bromide INHALATION SOLN 0.02%
- Ipratropium Bromide/albuterol Sulfate
- Jevtana
- Kabiven
- Kadcyca
- Kepivance
- Ketorolac Tromethamine INJ 15MG/ML, 300MG/10ML, 30MG/ML
- Kyprolis
- Labetalol Hcl INJ
- Lartruvo
- Leuprolide Acetate INJ
- Levalbuterol NEBU
- Levalbuterol Hcl NEBU
- Levetiracetam INJ 500MG/5ML
- Levoleucovorin INJ 175MG/17.5ML, 250MG/25ML, 50MG
- Levoleucovorin Calcium INJ 175MG/17.5ML
- Levothyroxine Sodium INJ 200MCG, 500MCG
- Lidocaine Hcl INJ 0.5%, 1%, 1.5%, 10MG/ML, 2%, 4%
- Lioresal Intrathecal INJ 0.05MG/ML, 2000MCG/ML, 40MG/20ML, 500MCG/ML
- Lipodox
- Lipodox 50
- Lumizyme
- Lupaneta Pack
- Lupron Depot (1-month)
- Lupron Depot (3-month)
- Lupron Depot (4-month)
- Lupron Depot (6-month)
- Lupron Depot-ped (1-month)
- Lupron Depot-ped (3-month)
- Magnesium Sulfate INJ 20GM/500ML, 2GM/50ML, 40GM/1000ML, 4GM/100ML, 4GM/50ML, 50%
- Meperidine Hcl INJ 100MG/ML, 10MG/ML, 25MG/ML, 50MG/ML
- Methadone Hcl INJ
- Methocarbamol INJ 1000MG/10ML
- Methyldopate Hcl
- Metoprolol Tartrate INJ
- Mitigo
- Mozobil
- Mylotarg
- Myozyme
- Naglazyme
- Nalbuphine Hcl INJ 10MG/ML, 20MG/ML
- Nebupent
- Neumega
- Nitroglycerin INJ 5MG/ML
- Octagam
- Oncaspar
- Ondansetron Hcl INJ 40MG/20ML, 4MG/2ML
- Ondansetron Hcl SOLN
- Ondansetron Hcl TABS
- Ondansetron Odt
- Opdivo
- Orphenadrine Citrate INJ
- Pamidronate Disodium
- Pantoprazole Sodium INJ
- Paricalcitol INJ
- Pentam 300
- Perforomist
- Perikabiven
- Perjeta
- Portrazza
- Poteligeo
- Privigen INJ 10GM/100ML, 20GM/200ML, 5GM/50ML
- Procainamide Hcl INJ 100MG/ML

- Prolastin-c
- Prolia
- Propranolol Hcl INJ
- Rabavert
- Recombivax Hb
- Regonol INJ 10MG/2ML
- Remodulin
- Rheumatrex
- Ribavirin SOLR
- Rifampin INJ
- Simponi Aria
- Simulect
- Sodium Bicarbonate INJ 4.2%, 7.5%, 8.4%
- Sodium Bicarbonate Partial Fill
- Somavert
- Stelara INJ 130MG/26ML
- Synagis INJ 100MG/ML, 50MG/0.5ML
- Tecentriq
- Thymoglobulin
- Tobramycin NEBU
- Trelstar
- Trelstar Mixject
- Trexall
- Triptodur
- Trisenox
- Tysabri
- Tyvaso
- Tyvaso Refill
- Tyvaso Starter
- Unituxin
- Uvadex
- Ventavis
- Verapamil Hcl INJ
- Vivitrol
- Vpriv
- Xgeva
- Yervoy
- Zaltrap
- Zanosar
- Zemaira
- Zoledronic Acid
- Zuplenz

Details

This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

INDEX

A	
Absorica	64
Abstral	84
Acetylcysteine	97
Actemra	1, 97
Actimmune	2
Acyclovir Sodium	97
Adagen	97
Adapalene.....	72
Adcirca	87
Adefovir Dipivoxil	26
Adempas.....	3
Afinitor	4
Afinitor Disperz.....	4
Akynzeo	7
Albuterol Sulfate	97
Aldara	5
Aldurazyme	97
Alecensa	51
Aliqopa	97
Alunbrig	51
Amiodarone Hcl	97
Amnesteem.....	64
Antiangiogenic Agents	6
Antiemetics.....	7
Antifungals, Azole	8
Anzemet	7
Apokyn	97
Aprepitant.....	97
Aralast Np	97
Aranesp Albumin Free	25
Arcalyst	9
Argatroban.....	97
Armodafinil	58
Arzerra.....	97
Astagraf XL.....	35
Atgam	35
Atropine Sulfate	97
Avita.....	72
Avonex	36
Avonex Pen.....	36
Azasan.....	35
Azathioprine.....	35
B	
Bcg Vaccine	97
Benlysta.....	10
Berinert	97
Besponsa	97
Betaseron.....	36
Bethkis	97
Bivigam.....	97
Bosulif.....	51
Botox.....	11
Botulinum Toxin.....	11
Braftovi	51
Brovana	97
Budesonide.....	97
Buphenyl	12
Buprenorphine Hcl.....	97
C	
Cabometyx	51
Calquence.....	51
Capastat Sulfate	97
Caprelsa.....	51
Carbaglu	13
Cardene IV	97
Carimune Nanofiltered.....	97
Carisoprodol.....	30
Carisoprodol/aspirin.....	30
Carisoprodol/aspirin/codeine	30
Cerezyme	97
Cesamet.....	14
Chorionic Gonadotropin	28

Cidofovir	97
Cimzia	33
Cinryze	97
Claravis.....	64
Clindamycin Phosphate/tretinoin	72
Clinimix N14g30e.....	97
Clinimix N9g15e.....	97
Colony Stimulating Factors.....	15
Cometriq.....	51
Copaxone.....	36
Cosentyx.....	33
Cosentyx Sensoready Pen	33
Cosmegen	97
Cotellic	51
Crinone	16
Cromolyn Sodium	97
Cuvitru.....	97
Cyclobenzaprine Hcl.....	30
Cyclophosphamide	97
Cyclosporine.....	35
Cyclosporine Modified.....	35
Cyramza	97

D

Dactinomycin	97
Depo-provera.....	97
Diclofenac Sodium.....	82
Differin	72
Diltiazem Hcl	97
Docefrez	97
Docetaxel.....	97
Doxercalciferol.....	97
Doxorubicin Hcl Liposome.....	97
Dronabinol.....	97
Dysport	11

E

Elelyso.....	97
Elidel	83
Eligard	97
Emend.....	97
Empliciti	17
Enbrel	33
Enbrel Mini	33
Enbrel Sureclick	33

Engerix-b.....	97
Envarsus Xr.....	35
Epclusa.....	18
Epogen	25
Erivedge	19
Erleada	20
Erwinaze	97
Esbriet	31
Esomeprazole Sodium	97

F

Fabrazyme.....	97
Farydak	51
Faslodex	97
Fentanyl Citrate.....	97
Fentanyl Citrate Oral Transmucosal	84
Fentora	84
Firmagon.....	97
Flebogamma Dif	97
Flector	82
Folotyn	97
Fomepizole.....	97
Forteo	21
Fusilev.....	97

G

Gablofen.....	97
Gamastan S/d	97
Gammagard Liquid	97
Gammaked	97
Gammaplex.....	97
Gamunex-c.....	97
Ganciclovir.....	97
Gazyva	97
Gengraf	35
Genotropin	23
Genotropin Miniquick.....	23
Gilenya.....	22
Gilotrif.....	51
Glassia.....	97
Glatiramer Acetate	36
Glatopa.....	36
Granisetron Hcl.....	7
Granix	15
Growth Hormone	23

H	
H.p. Acthar	97
Halaven.....	97
Harvoni.....	24
Hecoria	35
Hematopoietics.....	25
Hepatitis B Agents	26
Heplisav-b	98
Hetlioz	27
Hizentra	98
Hormonal Agents, Gonadotropins.....	28
Hormonal Agents, Somatostatin Analogs	29
Hrm - Skeletal Muscle Relaxants.....	30
Humatrope.....	23
Humatrope Combo Pack	23
Humira.....	33
Humira Pediatric Crohns Disease Starter Pack...	33
Humira Pen.....	33
Humira Pen-cd/uc/hs Starter	33
Humira Pen-ps/uv Starter	33
Hydralazine Hcl.....	98
Hydromorphone Hcl.....	98
Hydromorphone Hcl Dosette	98
I	
Ibandronate Sodium	49
Ibrance.....	51
Iclusig.....	51
Idhifa	51
Idiopathic Pulmonary Fibrosis	31
Imatinib Mesylate.....	51
Imbruvica	51
Imfinzi	98
Imiquimod Pump.....	5
Immune Stimulants, Non-vaccine.....	32
Immune Suppressants.....	33
Immune Suppressants - Transplant Related	35
Immunomodulators	36
Imovax Rabies (h.d.c.v.)	98
Infumorph 200.....	98
Infumorph 500.....	98
Inlyta.....	51
Intron A	37
Intron A W/diluent	37
Intron-a.....	37
Ipratropium Bromide	98
Ipratropium Bromide/albuterol Sulfate.....	98
Iressa	51
Isotretinoin	64
J	
Jakafi.....	51
Jevtana.....	98
K	
Kabiven.....	98
Kadcyla	98
Kalydeco	38
Kepivance	98
Ketorolac Tromethamine	98
Kineret.....	39
Kisqali	51
Kisqali Femara 200 Dose.....	51
Kisqali Femara 400 Dose.....	51
Kisqali Femara 600 Dose.....	51
Korlym	40
Kynamro	41
Kyprolis.....	98
L	
Labetalol Hcl.....	98
Lartruvo.....	98
Lazanda	84
Lenvima 10 Mg Daily Dose.....	51
Lenvima 12mg Daily Dose	51
Lenvima 14 Mg Daily Dose.....	51
Lenvima 18 Mg Daily Dose.....	51
Lenvima 20 Mg Daily Dose.....	51
Lenvima 24 Mg Daily Dose.....	51
Lenvima 4 Mg Daily Dose.....	51
Lenvima 8 Mg Daily Dose.....	51
Letairis	42
Leukine	15
Leuprolide Acetate.....	98
Levalbuterol	98
Levalbuterol Hcl	98
Levetiracetam.....	98
Levoleucovorin	98
Levoleucovorin Calcium.....	98

Levothyroxine Sodium.....	98
Lidocaine.....	43
Lidocaine Hcl.....	98
Lidocaine Patch.....	43
Lioresal Intrathecal.....	98
Lipase Inhibitors.....	44
Lipodox.....	98
Lipodox 50.....	98
Long-acting Opioid Analgesics.....	45
Lonsurf.....	46
Lumizyme.....	98
Lupaneta Pack.....	98
Lupron Depot (1-month).....	98
Lupron Depot (3-month).....	98
Lupron Depot (4-month).....	98
Lupron Depot (6-month).....	98
Lupron Depot-ped (1-month).....	98
Lupron Depot-ped (3-month).....	98
Lynparza.....	51

M

Magnesium Sulfate.....	98
Mekinist.....	51
Mektovi.....	51
Memantine Er.....	47
Memantine Hcl.....	48
Memantine Hcl Titration Pak.....	48
Memantine Hydrochloride.....	48
Memantine Hydrochloride Er.....	47
Memantine Ir.....	48
Meperidine Hcl.....	98
Metabolic Bone Disease Agents.....	49
Methadone Hcl.....	98
Methamphetamine Hcl.....	50
Methocarbamol.....	98
Methyldopate Hcl.....	98
Metoprolol Tartrate.....	98
Mircera.....	25
Mitigo.....	98
Modafinil.....	58
Molecular Target Inhibitors.....	51
Monoclonal Antibodies.....	53
Mozobil.....	98
Mucolytics.....	54
Myalept.....	55

Mycophenolate Mofetil.....	35
Mycophenolic Acid Dr.....	35
Mylotarg.....	98
Myorisan.....	64
Myozyme.....	98

N

Naglazyme.....	98
Nalbuphine Hcl.....	98
Natpara.....	56
Nebupent.....	98
Nerlynx.....	51
Neumega.....	98
Neupogen.....	15
Nexavar.....	51
Ninlaro.....	57
Nitroglycerin.....	98
Non Amphetamine Central Nervous System Agents.....	58
Norditropin Flexpro.....	23
Northera.....	59
Novarel.....	28
Nulojix.....	35
Nuplazid.....	60
Nutropin Aq Nuspin 10.....	23
Nutropin Aq Nuspin 20.....	23
Nutropin Aq Nuspin 5.....	23
Nutropin Aq Pen.....	23

O

Octagam.....	98
Octreotide Acetate.....	29
Odomzo.....	61
Ofev.....	31
Olysio.....	62
Omnitrope.....	23
Oncaspar.....	98
Ondansetron Hcl.....	98
Ondansetron Odt.....	98
Onivyde.....	63
Opdivo.....	98
Opsumit.....	87
Oral Tretinoin.....	64
Orencia.....	33
Orencia Clickject.....	33

Orenitram	87
Orphenadrine Citrate	98
Otezla	65
Otrexup.....	66

P

Pamidronate Disodium.....	98
Pantoprazole Sodium.....	98
Paricalcitol.....	98
Part B Versus Part D	97
Pegasys	32
Pegasys Proclick.....	32
Pentam 300.....	98
Perforomist	98
Perikabiven.....	98
Perjeta.....	98
Pomalyst	51
Portrazza.....	98
Poteligeo.....	98
Pregnyl W/diluent Benzyl Alcohol/nacl	28
Privigen	98
Procainamide Hcl	98
Procrit	25
Procysbi.....	67
Prograf.....	35
Prolastin-c.....	99
Prolia	99
Promacta.....	81
Propranolol Hcl	99
Pulmozyme.....	54

R

Rabavert	99
Rapamune.....	35
Rasuvo.....	68
Ravicti	69
Recombivax Hb.....	99
Regonol	99
Regranex.....	70
Remicade.....	33
Remodulin	99
Renflexis.....	33
Repatha.....	71
Repatha Pushtronex System	71
Repatha Sureclick.....	71

Retin-a Micro	72
Retin-a Micro Pump.....	72
Retinoids Topical	72
Revlimid.....	73
Rheumatrex	99
Ribavirin	99
Rifampin	99
Rubraca	51
Ruconest.....	74
Rydapt.....	51

S

Saizen.....	23
Saizen Click.easy	23
Saizenprep Reconstitutionkit	23
Sancuso	7
Sandimmune	35
Sandostatin Lar Depot.....	29
Serostim	23
Signifor Lar.....	29
Sildenafil.....	87
Simponi.....	33
Simponi Aria.....	99
Simulect	99
Sirolimus.....	35
Sivextro	75
Sodium Bicarbonate.....	99
Sodium Bicarbonate Partial Fill.....	99
Sodium Phenylbutyrate.....	12, 76
Somatuline Depot.....	29
Somavert	99
Sprycel	51
Stelara	99
Stivarga	51
Subsys	84
Sutent	51
Sylatron.....	77
Synagis.....	99
Synribo.....	51

T

Tacrolimus	35, 83
Tadalafil	87
Tafinlar.....	51
Tagrisso.....	78

Tarceva.....	51	Ventavis	99
Tasigna	51	Verapamil Hcl.....	99
Tecentriq.....	99	Verzenio.....	51
Tecfidera.....	36	Vivitrol.....	99
Tecfidera Starter Pack	36	Voriconazole	8
Tetrabenazine	79	Vosevi	89
Tev-tropin.....	23	Votrient	6
Thalidomide (thalamid).....	80	Vpriv	99
Thalomid	80	X	
Thrombopoietin Receptor Agonist.....	81	Xalkori	51
Thymoglobulin	99	Xatmep.....	90
Tibsovo.....	51	Xeljanz	91
Tobramycin	99	Xeljanz Xr.....	91
Topical Anti-inflammatories	82	Xenical	44
Topical Immunomodulators	83	Xeomin.....	11
Tracleer.....	87	Xgeva	99
Transmucosal Fentanyl Citrate.....	84	Xolair	53
Trelstar	99	Xtandi.....	92
Trelstar Mixject.....	99	Y	
Tretinoin	72	Yervoy.....	99
Tretinoin Microsphere.....	72	Yondelis	93
Tretinoin Microsphere Pump	72	Yonsa	94
Trexall	99	Z	
Trimethobenzamide.....	85	Zaltrap.....	99
Trimethobenzamide Hcl.....	85	Zanosar.....	99
Triptodur.....	99	Zejula	51
Trisenox.....	99	Zelboraf.....	95
Tykerb	51	Zemaira	99
Tysabri.....	99	Zenatane	64
Tyvaso	99	Zohydro Er	45
Tyvaso Refill.....	99	Zoledronic Acid	99
Tyvaso Starter	99	Zomacton	23
U		Zorbtive.....	23
Unituxin.....	99	Zortress	35
Uvadex	99	Zuplenz	99
V		Zyclara	5
Valchlor.....	86	Zyclara Pump	5
Valchlor Gel	86	Zydelig	51
Vasodilators.....	87	Zykadia	51
Veltin.....	72	Zytiga	96
Venclexta.....	88		
Venclexta Starting Pack	88		